ELSEVIER

European Journal of Pharmacology 297 (1996) 313–315

ejp

Author index

Abe, K., Watanabe, Y. and Saito, H.
Differential role of nitric oxide in long-term potentiation in the medial and lateral amygdala (297) 43
Arnt, J., see Sánchez, C. (297) 1

Barf, T., Korte, S.M., Korte-Bouws, G., Sonesson, C., Damsma, G., Bohus, B. and Wikström, H.
Potential anxiolytic properties of *R*-(+)-8-OSO_2CF_3-PAT, a 5-HT_{1A} receptor agonist (297) 205
Barg, J., see Heldman, E. (297) 283
Barnes, N.M., see Ge, J. (297) 299
Barroso, N. and Rodriguez, M.
Action of β-phenylethylamine and related amines on nigrostriatal dopamine neurotransmission (297) 195
Bélichard, P., see Pruneau, D. (297) 53
Bertrand, V., see Dufresne, M. (297) 165
Bohus, B., see Barf, T. (297) 205
Buckner, S.A., Oheim, K.W., Morse, P.A., Knepper, S.M. and Hancock, A.A.
α_1-Adrenoceptor-induced contractility in rat aorta is mediated by the α_{1D} subtype (297) 241

Chang, M.C., Yang, R.S., Lin, C.H. and Huang, T.F.
Integrin $\alpha_v\beta_3$ and phospholipase C regulate prostacyclin formation of endothelial cells caused by ancrod-generated fibrin (297) 129
Cheng, P.Y., see Szeto, H.H. (297) 77
Cherng, C.-H., see Wong, C.-S. (297) 27
Chiba, S., see Yamazaki, K. (297) 233
Clarke, D.E., see Lachnit, W.G. (297) 83
Clerc, P., see Dufresne, M. (297) 165
Costa, L.G., see Guizzetti, M. (297) 265
Costa, P., see Guizzetti, M. (297) 265
Cox, B.M., see Izenwasser, S. (297) 187
Cox, B.M., see Izenwasser, S. (297) 9

Damsma, G., see Barf, T. (297) 205
Davies, M.P., McCurrie, J.R. and Wood, D.
Comparative effects of K^+ channel modulating agents on contractions of rat intestinal smooth muscle (297) 249
Davis, T.P., see Konkoy, C.S. (297) 47
Defrêne, E., see Pruneau, D. (297) 53
Dobashi, K., see Mita, Y. (297) 121
Dubocovich, M.L., see Larson-Prior, L.J. (297) 181
Duc, D., see Thoss, V.S. (297) 145
Dufresne, M., Escrieut, C., Clerc, P., Le Huerou-Luron, I., Prats, H., Bertrand, V., Le Meuth, V., Guilloteau, P., Vaysse, N. and Fourmy, D.
Molecular cloning, developmental expression and pharmacological characterization of the CCK_B/gastrin receptor in the calf pancreas (297) 165

Elghozi, J.L., see Ponchon, P. (297) 61
El Hadri, K., Fève, B. and Pairault, J.
Developmental expression and functional activity of β_1- and β_3-adrenoceptors in murine 3T3-F442A differentiating adipocytes (297) 107
Escrieut, C., see Dufresne, M. (297) 165

Fève, B., see El Hadri, K. (297) 107
Fisher, A., see Heldman, E. (297) 283
Ford, A.P.D.W., see Lachnit, W.G. (297) 83
Fourmy, D., see Dufresne, M. (297) 165
Fujii, E., Irie, K., Ogawa, A., Ohba, K.-i. and Muraki, T.
Role of nitric oxide and prostaglandins in lipopolysaccharide-induced increase in vascular permeability in mouse skin (297) 257
Furukawa, Y., see Yamazaki, K. (297) 233

Ge, J. and Barnes, N.M.
Alterations in angiotensin AT_1 and AT_2 receptor subtype levels in brain regions from patients with neurodegenerative disorders (297) 299
Guilloteau, P., see Dufresne, M. (297) 165
Guizzetti, M., Costa, P., Peters, J. and Costa, L.G.
Acetylcholine as a mitogen: muscarinic receptor-mediated proliferation of rat astrocytes and human astrocytoma cells (297) 265

Håkanson, R., see Wang, Z.-Y. (297) 157
Hancock, A.A., see Buckner, S.A. (297) 241
Hayashi, T., see Takebayashi, M. (297) 137
Heldman, E., Barg, J., Fisher, A., Levy, R., Pittel, Z., Zimlichman, R., Kushnir, M. and Vogel, Z.
Pharmacological basis for functional selectivity of partial muscarinic receptor agonists (297) 283
Heller, B., see Izenwasser, S. (297) 187
Ho, S.-T., see Wong, C.-S. (297) 27
Hotta, K., see Ichikawa, T. (297) 87
Hoyer, D., see Thoss, V.S. (297) 145
Huang, T.F., see Chang, M.C. (297) 129

Ichikawa, T., Ishihara, K., Shibata, M., Yamaura, T., Saigenji, K. and Hotta, K.
Stimulation of mucin biosynthesis in rat gastric mucosa by FRG-8813 and its structural analogs (297) 87
Idänpään-Heikkilä, J.-J., see Mansikka, H. (297) 19
Imamura, H., see Yamazaki, K. (297) 233
Irie, K., see Fujii, E. (297) 257
Ishihara, K., see Ichikawa, T. (297) 87
Izenwasser, S., Heller, B. and Cox, B.M.
Continuous cocaine administration enhances μ- but not δ-opioid receptor-mediated inhibition of adenylyl cyclase activity in nucleus accumbens (297) 187

Izenwasser, S., Newman, A.H., Cox, B.M. and Katz, J.L.
The cocaine-like behavioral effects of meperidine are mediated by activity at the dopamine transporter (297) 9

Kagaya, A., see Takebayashi, M. (297) 137
Kang, J.X. and Leaf, A.
Protective effects of free polyunsaturated fatty acids on arrhythmias induced by lysophosphatidylcholine or palmitoylcarnitine in neonatal rat cardiac myocytes (297) 97
Kanthasamy, A.G., Vu, T.Q., Yun, R.J. and Truong, D.D.
Antimyoclonic effect of gabapentin in a posthypoxic animal model of myoclonus (297) 219
Kasama, M., see Yamazaki, K. (297) 233
Katz, J.L., see Izenwasser, S. (297) 9
Kitagawa, S., Yamaguchi, Y., Shinozuka, K., Kwon, Y.M. and Kunitomo, M.
Dietary cholesterol enhances impaired endothelium-dependent relaxations in aortas of salt-induced hypertensive Dahl rats (297) 71
Knepper, S.M., see Buckner, S.A. (297) 241
Ko, Y., see Nickenig, G. (297) 307
Konkoy, C.S., Waters, S.M. and Davis, T.P.
Subchronic haloperidol administration decreases aminopeptidase N activity and [Met^5]enkephalin metabolism in rat striatum and cortex (297) 47
Korte-Bouws, G., see Barf, T. (297) 205
Korte, S.M., see Barf, T. (297) 205
Kunitomo, M., see Kitagawa, S. (297) 71
Kushnir, M., see Heldman, E. (297) 283
Kwon, Y.M., see Kitagawa, S. (297) 71

Lachnit, W.G., Ford, A.P.D.W. and Clarke, D.E.
SDZ NVI 085, an α_{1A}-adrenoceptor agonist with 5-HT$_{2A}$ receptor antagonist properties (297) 83
Lacković, Z., see Trkulja, V. (297) 93
Lahtinen, H., Ylinen, A., Lukkarinen, U., Sirviö, J., Miettinen, R. and Riekkinen Sr., P.
Failure of carbamazepine to prevent behavioural and histopathological sequels of experimentally induced status epilepticus (297) 213
Larson-Prior, L.J., Siuciak, J.A. and Dubocovich, M.L.
Localization of 2-[^{125}I]iodomelatonin binding sites in visual areas of the turtle brain (297) 181
Leaf, A., see Kang, J.X. (297) 97
Le Huerou-Luron, I., see Dufresne, M. (297) 165
Le Meuth, V., see Dufresne, M. (297) 165
Levy, R., see Heldman, E. (297) 283
Lin, C.H., see Chang, M.C. (297) 129
Luccarini, J.-M., see Pruneau, D. (297) 53
Luk, H.-N., see Wong, C.-S. (297) 27
Lukkarinen, U., see Lahtinen, H. (297) 213

Mansikka, H., Idänpään-Heikkilä, J.-J. and Pertovaara, A.
Different roles of α_2-adrenoceptors of the medulla versus the spinal cord in modulation of mustard oil-induced central hyperalgesia in rats (297) 19
McCurrie, J.R., see Davies, M.P. (297) 249
Miettinen, R., see Lahtinen, H. (297) 213
Mita, Y., Dobashi, K., Suzuki, K., Mori, M. and Nakazawa, T.
Induction of muscarinic receptor subtypes in monocytic/macrophagic cells differentiated from EoL-1 cells (297) 121
Mizoguchi, K., see Tanaka, T. (297) 35
Moltzen, E.K., see Sánchez, C. (297) 1
Monstein, H.-J., see Wang, Z.-Y. (297) 157
Mori, M., see Mita, Y. (297) 121
Morse, P.A., see Buckner, S.A. (297) 241
Motohashi, N., see Takebayashi, M. (297) 137

Muraki, T., see Fujii, E. (297) 257
Muramatsu, I., see Nishio, M. (297) 293

Nakazawa, T., see Mita, Y. (297) 121
Newman, A.H., see Izenwasser, S. (297) 9
Nickenig, G., Sachinidis, A., Ko, Y. and Vetter, H.
Regulation of angiotensin AT$_1$ receptor gene expression during cell growth of vascular smooth muscle cells (297) 307
Nishio, M., Muramatsu, I. and Yasumoto, T.
Na^+-permeable channels induced by maitotoxin in guinea-pig single ventricular cells (297) 293

Oda, M., see Yamamoto, N. (297) 225
Ogawa, A., see Fujii, E. (297) 257
Ohba, K.-i., see Fujii, E. (297) 257
Oheim, K.W., see Buckner, S.A. (297) 241

Pairault, J., see El Hadri, K. (297) 107
Paquet, J.-L., see Pruneau, D. (297) 53
Pertovaara, A., see Mansikka, H. (297) 19
Peters, J., see Guizzetti, M. (297) 265
Pittel, Z., see Heldman, E. (297) 283
Ponchon, P. and Elghozi, J.L.
Contribution of the renin-angiotensin and kallikrein-kinin systems to short-term variability of blood pressure in two-kidney, one-clip hypertensive rats (297) 61
Prats, H., see Dufresne, M. (297) 165
Pruneau, D., Luccarini, J.-M., Defrêne, E., Paquet, J.-L. and Bélichard, P.
Characterisation of bradykinin receptors from juvenile pig coronary artery (297) 53

Riekkinen Sr., P., see Lahtinen, H. (297) 213
Rodriguez, M., see Barroso, N. (297) 195

Sachinidis, A., see Nickenig, G. (297) 307
Saigenji, K., see Ichikawa, T. (297) 87
Saito, H., see Abe, K. (297) 43
Sánchez, C., Arnt, J. and Moltzen, E.K.
The antiaggressive potency of (−)-penbutolol involves both 5-HT$_{1A}$ and 5-HT$_{1B}$ receptors and β-adrenoceptors (297) 1
Schoepp, D.D., see Wright, R.A. (297) 275
Shibata, M., see Ichikawa, T. (297) 87
Shinozuka, K., see Kitagawa, S. (297) 71
Sirviö, J., see Lahtinen, H. (297) 213
Siuciak, J.A., see Larson-Prior, L.J. (297) 181
Sonesson, C., see Barf, T. (297) 205
Soong, Y., see Szeto, H.H. (297) 77
Suzuki, K., see Mita, Y. (297) 121
Szeto, H.H., Wu, D., Cheng, P.Y., Soong, Y., Taylor, C.C. and Yee, J.
Cardiovascular and respiratory actions of U50,488H in the unanaesthetized ovine foetus (297) 77

Takebayashi, M., Kagaya, A., Hayashi, T., Motohashi, N. and Yamawaki, S.
γ-Aminobutyric acid increases intracellular Ca^{2+} concentration in cultured cortical neurons: role of Cl^- transport (297) 137
Tanaka, M., see Tanaka, T. (297) 35
Tanaka, T., Yoshida, M., Yokoo, H., Mizoguchi, K. and Tanaka, M.
ATP-sensitive K^+ channel openers block sulpiride-induced dopamine release in the rat striatum (297) 35
Taylor, C.C., see Szeto, H.H. (297) 77
Thoss, V.S., Duc, D. and Hoyer, D.
Somatostatin receptors in the developing rat brain (297) 145
Trkulja, V. and Lacković, Z.
Involvement of muscarinic receptors in the control of female puberty in the rat (297) 93

Truong, D.D., see Kanthasamy, A.G. (297) 219
Tung, C.-S., see Wong, C.-S. (297) 27

Vaysse, N., see Dufresne, M. (297) 165
Vetter, H., see Nickenig, G. (297) 307
Vogel, Z., see Heldman, E. (297) 283
Vu, T.Q., see Kanthasamy, A.G. (297) 219

Wang, Z.-Y., Monstein, H.-J. and Håkanson, R.
Release of preprotachykinin-A mRNA from rabbit iris upon C-fibre stimulation (297) 157
Watanabe, Y., see Abe, K. (297) 43
Waters, S.M., see Konkoy, C.S. (297) 47
Wikström, H., see Barf, T. (297) 205
Wong, C.-S., Cherng, C.-H., Luk, H.-N., Ho, S.-T. and Tung, C.-S.
Effects of NMDA receptor antagonists on inhibition of morphine tolerance in rats: binding at μ-opioid receptors (297) 27
Wood, D., see Davies, M.P. (297) 249
Wright, R.A. and Schoepp, D.D.
Differentiation of group 2 and group 3 metabotropic glutamate receptor cAMP responses in the rat hippocampus (297) 275
Wu, D., see Szeto, H.H. (297) 77

Yamaguchi, Y., see Kitagawa, S. (297) 71
Yamamoto, N., Yokota, K., Yamashita, A. and Oda, M.
Effect of KBT-3022, a new cyclooxygenase inhibitor, on experimental brain edema in vitro and in vivo (297) 225
Yamashita, A., see Yamamoto, N. (297) 225
Yamaura, T., see Ichikawa, T. (297) 87
Yamawaki, S., see Takebayashi, M. (297) 137
Yamazaki, K., Furukawa, Y., Kasama, M., Imamura, H. and Chiba, S.
Negative chronotropic and dromotropic effects of E-4031, an I_{Kr} blocker, on the atrioventricular node in anesthetized dog hearts (297) 233
Yang, R.S., see Chang, M.C. (297) 129
Yasumoto, T., see Nishio, M. (297) 293
Yee, J., see Szeto, H.H. (297) 77
Ylinen, A., see Lahtinen, H. (297) 213
Yokoo, H., see Tanaka, T. (297) 35
Yokota, K., see Yamamoto, N. (297) 225
Yoshida, M., see Tanaka, T. (297) 35
Yun, R.J., see Kanthasamy, A.G. (297) 219

Zimlichman, R., see Heldman, E. (297) 283